TObject

Fields:
- fUniqueID
- fBits
- fgDtorOnly
- fgObjectStat
- kCanDelete
- kMustCleanup
- kObjInCanvas
- kIsReferenced
- kHasUUID
- kCannotPick
- kNoContextMenu
- kInvalidObject
- kIsOnHeap
- kNotDeleted
- kZombie
- kBitMask
- kSingleKey
- kOverwrite
- kWriteDelete
- fgIsA

Methods:

@~TObject	GetOption	operator new
MakeZombie	GetObjectInfo	operator new@[@]
DoError	GetTitle	operator delete
TObject	HandleTimer	operator delete@[@]
TObject	Hash	operator delete
operator=	InheritsFrom	operator delete@[@]
AppendPad	InheritsFrom	SetBit
Browse	Inspect	SetBit
ClassName	IsFolder	ResetBit
Clear	IsEqual	TestBit
Clone	IsSortable	TestBits
Compare	IsOnHeap	InvertBit
Copy	IsZombie	Info
Delete	Notify	Warning
DistancetoPrimitive	Paint	Error
Draw	Pop	SysError
DrawClass	Print	Fatal
DrawClone	Read	AbstractMethod
Dump	RecursiveRemove	MayNotUse
Execute	SavePrimitive	SetDtorOnly
Execute	SetDrawOption	GetObjectStat
ExecuteEvent	SetUniqueID	SetObjectStat
FindObject	UseCurrentStyle	Class
FindObject	Write	Class_Name
GetDrawOption	Write	IsA
GetUniqueID	operator new	ShowMembers
GetName	operator new@[@]	
GetIconName		

TNamed

Fields:
- fName
- fTitle
- fgIsA

Methods:

@~TNamed
TNamed
TNamed
TNamed
TNamed
operator=
Clear
Clone
Compare
Copy
FillBuffer
GetName
GetTitle
Hash
IsSortable
SetName
SetNameTitle
SetTitle
Is
Print
Sizeof
Class
Class_Name
IsA
ShowMembers

TFormula

Fields:

fNdim	kasin	ktanh	kConstant
fNpar	katan	kacosh	kBoolOptimize
fNoper	katan2	kasinh	kStringConst
fNconst	kfmod	katanh	kVariable
fNumber	kpow	kStringEqual	kFunctionCall
fNval	ksq	kStringNotEqual	kData
fNstring	ksqrt	kBitAnd	kUnary
fExpr	kstrstr	kBitOr	kBinary
fOper	kmin	kLeftShift	kThree
fConst	kmax	kRightShift	kDefinedVariable
fParams	klog	kDefinedVariable	kDefinedString
fNames	kexp	kexpo	kPlusD
fFunctions	klog10	kxexpo	kPlusDD
fLinearParts	kpi	kyexpo	kMultD
fAlreadyFound	kabs	kzexpo	kMultDD
fNOperOptimized	ksign	kxyexpo	kBoolOptimizeOr
fExprOptimized	kint	kgaus	kBoolOptimizeAnd
fOperOptimized	kSignInv	kxgaus	kBoolSet
fOperOffset	krndm	kygaus	kFDM
fPredefined	kAnd	kzgaus	kFD0
kEnd	kOr	kxygaus	kFD1
kAdd	kEqual	klandau	kFD2
kSubstract	kNotEqual	kxlandau	kFD3
kMultiply	kLess	kylandau	kNotGlobal
kDivide	kGreater	kzlandau	kNormalized
kModulo	kLessThan	kxylandau	kLinear
kcos	kGreaterThan	kpol	kxpol
ksin	kNot	kxpol	fOptimal
ktan	kcosh	kypol	fgIsA
kacos	ksinh	kzpol	
		kParameter	

Methods:

@~TFormula	EvalPrimitive1	Eval	ProcessLinear
PreCompile	EvalPrimitive2	EvalParOld	SetNumber
MakePrimitive	EvalPrimitive3	EvalPar	SetParameter
GetOper	EvalPrimitive4	GetLinearPart	SetParameter
GetAction	TFormula	GetNdim	SetParameters
GetActionParam	TFormula	GetNpar	SetParameters
SetAction	TFormula	GetNumber	SetParName
GetOperOptimized	operator=	GetExpFormula	SetParNames
GetActionOptimized	Optimize	GetParameter	Update
GetActionParamOptimized	Optimized	GetParameter	Class
SetActionOptimized	AnalyzeFunction	GetParameters	Class_Name
ClearFormula	Compile	GetParameters	IsA
IsString	Copy	GetParameters	ShowMembers
Convert	Clear	GetParName	
EvalParFast	DefinedString	GetParNumber	
EvalPrimitive	DefinedValue	IsLinear	
EvalPrimitive0	DefinedVariable	IsNormalized	
		Print	

RooFormula

Fields:
- _nset
- _isOK
- _origList
- _useList
- _actual
- _labelList
- _compiled
- fgIsA

Methods:

@~RooFormula
RooFormula
RooFormula
RooFormula
Clone
actualDependents
changeDependents
getParameter
getParameter
ok
eval
dump
reCompile
printToStream
Print
operator=
initCopy
DefinedVariable
DefinedVariable
DefinedValue
Class
Class_Name
IsA
ShowMembers

RooPrintable

Fields:
- InLine
- OneLine
- Standard
- Shape
- Verbose
- fgIsA

Methods:

@~RooPrintable
RooPrintable
printToStream
parseOptions
lessVerbose
inLinePrint
oneLinePrint
defaultStream
Class
Class_Name
IsA
ShowMembers
Streamer
StreamerNVirtual