

| RooAbsArg | | |
|---------------------------------|--------------------------|---------------------|
| Activate | _clientList | _inhibitDirty |
| DeActivate | _clientListShape | _deleteWatch |
| ConfigChange | _clientListValue | _nameLength |
| ValueChange | _proxyList | _valueDirty |
| Auto | _clientShapelter | _shapeDirty |
| AClean | _clientValueIter | _operMode |
| ADirty | _attribList | fglsA |
| | _serverList | _verboseDirty |
| @-RooAbsArg | getDependents | setValueDirty |
| clone | getDependents | setShapeDirty |
| Clone | dependentOverlap | isValueDirty |
| isDerived | dependentOverlap | isShapeDirty |
| isCloneOf | checkDependents | redirectServers |
| dependsOn | recursiveCheckDependents | redirectServers |
| dependsOn | attachDataSet | redirectServersHook |
| overlaps | readFromStream | serverNameChange |
| clientIterator | writeToStream | addServer |
| valueClientIterator | printToStream | addServerList |
| shapeClientIterator | Print | replaceServer |
| serverIterator | setAttribute | changeServer |
| findServer | getAttribute | removeServer |
| findServer | attribIterator | findNewServer |
| findServer | isConstant | registerProxy |
| isValueServer | Compare | registerProxy |
| isValueServer | IsSortable | registerProxy |
| isShapeServer | verboseDirty | unRegisterProxy |
| isShapeServer | copyList | unRegisterProxy |
| leafNodeServerList | isDirty | unRegisterProxy |
| branchNodeServerList | isDirtyInhibit | getProxy |
| treeNodeServerList | iterator== | setProxyNormSet |
| isFundamental | nameFieldLength | numProxies |
| createFundamental | range | printAttribList |
| isLValue | hasRange | syncCache |
| getParameters | constOptimize | copyCache |
| getParameters | printCompactTree | attachToTree |
| getParameters | printCompactTree | setTreeBranchStatus |
| getParameters | printCompactTree | setNodeBranch |
| getObservables | setDeleteWatch | cleanBranchName |
| getObservables | deleteWatch | crc32 |
| getObservables | setOperMode | setValueDirty |
| getObservables | operModeHook | setShapeDirty |
| observableOverlap | operMode | Class |
| observableOverlap | isValid | Class_Name |
| checkObservableOverlap | getParametersHook | Class |
| recursiveCheckObservableOverlap | getParametersHook | ShowMembers |
| getComponents | isShapeDirty | |
| getDependents | isValueDirty | |

| RooPrintable | | |
|----------------|---------------|------------------|
| InLine | Shape | |
| OneLine | Verbose | |
| Standard | fglsA | |
| @-RooPrintable | inLinePrint | IsA |
| RooPrintable | oneLinePrint | ShowMembers |
| printToStream | defaultStream | Streamer |
| parseOptions | Class | StreamerNVirtual |
| lessVerbose | Class_Name | |

| RooAbsReal | | |
|-----------------------|-------------------------|---------------------|
| Raw | _plotMax | _forceNumInt |
| Relative | _plotBins | _specIntegratorCon |
| NumEvent | _value | _cacheCheck |
| RelativeExpected | _unit | fglsA |
| | plotMin | label |
| @-RooAbsReal | setPlotRange | matchArgs |
| getVal | setPlotBins | matchArgs |
| getVal | setPlotLabel | matchArgs |
| operator== | getPlotLabel | matchArgs |
| operator== | inPlotRange | isValid |
| getUnit | defaultErrorLevel | isValidReal |
| setUnit | getIntegratorConfig | isValidHook |
| getTitle | defaultIntegratorConfig | isValidHook |
| bindVars | specialIntegratorConfig | |
| createFundamental | setIntegratorConfig | syncCache |
| getAnalyticalIntegral | getIntegratorConfig | copyCache |
| analyticalIntegral | isOn | attachToTree |
| getAnalyticalIntegral | plotSliceOn | setTreeBranchStatus |
| analyticalIntegral | fillHistogram | fillTreeBranch |
| forceAnalyticalInt | createHistogram | optimizeDirty |
| forceNumInt | readFromStream | doConstOpt |
| createIntegral | writeToStream | undoConstOpt |
| createIntegral | printToStream | findCacheableBranch |
| createIntegral | createProjection | findUnusedDataVar |
| createIntegral | createProjection | findRedundantEach |
| createIntegral | setCacheCheck | allClientsCached |
| createIntegral | plotOn | plotOn |
| getMaxVal | selectNormalization | plotAsymOn |
| maxVal | selectNormalization | matchArgsByName |
| getPlotMin | plotSanityCheck | Class |
| getPlotMax | makeProjection | Class_Name |
| getPlotBins | integralNameSuffix | A |
| setPlotMin | createProjection | ShowMembers |
| setPlotMax | matchArgs | |

| RooAbsRealLValue | |
|--------------------|-------------------|
| fglsA | |
| @-RooAbsRealLValue | isValidReal |
| setVal | setConstant |
| operator= | readFromStream |
| operator= | writeToStream |
| operator= | printToStream |
| randomize | frame |
| setBin | frame |
| getBin | frame |
| numBins | frame |
| getBinWidth | frame |
| getBinning | frame |
| getBinning | createHistogram |
| hasBinning | createHistogram |
| getMin | createHistogram |
| getMax | createHistogram |
| getBins | createHistogram |
| hasMin | createHistogram |
| hasMax | createHistogram |
| inRange | createHistogram |
| hasRange | createHistogram |
| getFitBins | createHistogram |
| numFitBins | createHistogram |
| getFitMin | fitRangeOKForPlot |
| getFitMax | copyCache |
| hasFitMin | Class |
| hasFitMax | Class_Name |
| isJacobianOK | IsA |
| jacobian | ShowMembers |
| isLValue | |
| inRange | |

| RooAbsLValue | |
|----------------|-------------|
| fglsA | |
| @-RooAbsLValue | Class |
| setBin | Class_Name |
| getBin | IsA |
| numBins | ShowMembers |
| getBinWidth | Streamer |
| randomize | |

| RooLinearVar | |
|----------------|--|
| _binning | |
| _altBinning | |
| _var | |
| _slope | |
| _offset | |
| fglsA | |
| @-RooLinearVar | |
| RooLinearVar | |
| RooLinearVar | |
| clone | |
| setVal | |
| hasBinning | |
| getBinning | |
| getBinning | |
| jacobian | |
| isJacobianOK | |
| readFromStream | |
| writeToStream | |
| printToStream | |
| evaluate | |
| Class | |
| Class_Name | |
| IsA | |
| ShowMembers | |