## TGFrame

| | | |
|---|---|---|
| fX | fEventMask | fgBckgndGC |
| fY | fFE | fgLastClick |
| fWidth | fgInit | fgLastButton |
| fHeight | fgDefaultFrameBackground | fgDbx |
| fMinWidth | fgDefaultSelectedBackground | fgDby |
| fMinHeight | fgWhitePixel | fgDbw |
| fMaxWidth | fgBlackPixel | fgUserColor |
| fMaxHeight | fgBlackGC | fgIsA |
| fBorderWidth | fgWhiteGC | |
| fOptions | fgHilightGC | |
| fBackground | fgShadowGC | |

| | | |
|---|---|---|
| @~TGFrame | HandleDragEnter | SetDragType |
| GetLastClick | HandleDragLeave | SetDropType |
| GetSender | HandleDragMotion | GetDragType |
| Draw3dRectangle | HandleDragDrop | GetDropType |
| DoRedraw | ProcessedEvent | GetWidth |
| GetResourcePool | SendMessage | GetHeight |
| GetOptionString | ProcessMessage | GetMinWidth |
| StartGuiBuilding | GetDefaultSize | GetMinHeight |
| GetDefaultFrameBackground | Move | GetMaxWidth |
| GetDefaultSelectedBackground | SetBackground | GetMaxHeight |
| GetWhitePixel | Resize | GetSize |
| GetBlackPixel | MoveResize | GetX |
| GetBlackGC | GetDefaultWidth | GetY |
| GetWhiteGC | GetDefaultHeight | GetBorderWidth |
| GetHilightGC | GetBackground | GetFrameElement |
| GetShadowGC | ChangeBackground | SetFrameElement |
| GetBckgndGC | SetBackgroundColor | Contains |
| TGFrame | GetForeground | GetFrameFromPoint |
| TGFrame | SetForegroundColor | SetX |
| DeleteWindow | GetOptions | SetY |
| ReallyDelete | ChangeOptions | SetWidth |
| GetEventMask | Layout | SetHeight |
| AddInput | MapSubwindows | SetMinWidth |
| RemoveInput | ReparentWindow | SetMinHeight |
| HandleEvent | MapWindow | SetMaxWidth |
| HandleConfigureNotify | MapRaised | SetMaxHeight |
| HandleButton | UnmapWindow | SetSize |
| HandleDoubleClick | DrawBorder | Print |
| HandleCrossing | DrawCopy | SaveUserColor |
| HandleMotion | Activate | SavePrimitive |
| HandleKey | IsActive | Class |
| HandleFocusChange | IsComposite | Class_Name |
| HandleClientMessage | IsEditable | IsA |
| HandleSelection | SetEditable | ShowMembers |
| HandleSelectionRequest | RequestLayout | Streamer |
| HandleSelectionClear | ClearLayoutBroken | |
| HandleColormapChange | ChangeCleanup | |

## TGCompositeFrame

| | |
|---|---|
| fLayoutManager | fgContextMenu |
| fList | fgDefaultHints |
| fLayoutBroken | fgIsA |
| fMustCleanup | |
| fMapSubwindows | |

| | |
|---|---|
| @~TGCompositeFrame | RemoveFrame |
| SavePrimitiveSubframes | ShowFrame |
| TGCompositeFrame | HideFrame |
| TGCompositeFrame | GetState |
| GetList | IsVisible |
| GetDefaultWidth | IsVisible |
| GetDefaultHeight | IsArranged |
| GetDefaultSize | IsArranged |
| GetFrameFromPoint | IsComposite |
| TranslateCoordinates | IsEditable |
| MapSubwindows | SetEditable |
| Layout | SetLayoutBroken |
| HandleButton | IsLayoutBroken |
| HandleDoubleClick | SetEditDisabled |
| HandleCrossing | SetCleanup |
| HandleMotion | MustCleanup |
| HandleKey | Cleanup |
| HandleFocusChange | SetMapSubwindows |
| HandleSelection | IsMapSubwindows |
| HandleDragEnter | Print |
| HandleDragLeave | SavePrimitive |
| HandleDragMotion | Class |
| HandleDragDrop | Class_Name |
| ChangeOptions | IsA |
| ProcessMessage | ShowMembers |
| GetLayoutManager | Streamer |
| SetLayoutManager | |
| AddFrame | |

## TGView

| | |
|---|---|
| kNoHSB | fScrolling |
| kNoVSB | fClipboard |
| kHorizontal | fXMargin |
| kVertical | fYMargin |
| fMarkedStart | fCanvas |
| fMarkedEnd | fHsb |
| fVisible | fVsb |
| fMousePos | fScrollTimer |
| fScrollVal | fWhiteGC |
| fIsMarked | fgIsA |
| fIsMarking | |
| fIsSaved | |

| | |
|---|---|
| @~TGView | DrawRegion |
| TGView | ReturnLineLength |
| Clear | ReturnLineCount |
| SetVisibleStart | ReturnHeighestColHeight |
| ScrollCanvas | ReturnLongestLineWidth |
| ProcessMessage | IsMarked |
| DrawBorder | IsSaved |
| Layout | HandleMotion |
| HLayout | HandleButton |
| VLayout | HandleExpose |
| SetSBRange | HandleCrossing |
| SetHsbPosition | HandleTimer |
| SetVsbPosition | Marked |
| GetDefaultSize | Class |
| ToObjXCoord | Class_Name |
| ToObjYCoord | IsA |
| ToScrXCoord | ShowMembers |
| ToScrYCoord | Streamer |
| Mark | |
| UnMark | |

## TGTextView

| | |
|---|---|
| fText | fMarkedFromX |
| fClipText | fMarkedFromY |
| fFont | fgDefaultFont |
| fMaxAscent | fgDefaultGC |
| fMaxDescent | fgDefaultSelectedGC |
| fMaxWidth | fgDefaultSelectedBackgroundGC |
| fNormGC | fgIsA |
| fSelGC | |
| fSelbackGC | |

| | |
|---|---|
| @~TGTextView | SelectAll |
| Init | Search |
| DrawRegion | SetFont |
| Mark | ReturnHeighestColHeight |
| UnMark | ReturnLongestLineWidth |
| Copy | ReturnLineLength |
| GetDefaultFontStruct | ReturnLongestLine |
| GetDefaultGC | ReturnLineCount |
| GetDefaultSelectedGC | HandleButton |
| GetDefaultSelectedBackgroundGC | HandleSelectionRequest |
| TGTextView | SetText |
| TGTextView | AddText |
| TGTextView | AddLine |
| IsSaved | AddLineFast |
| ToObjXCoord | Update |
| ToObjYCoord | GetText |
| ToScrXCoord | DataChanged |
| ToScrYCoord | Class |
| AdjustWidth | Class_Name |
| LoadFile | IsA |
| LoadBuffer | ShowMembers |
| Clear | Streamer |
| Copy | |

## TGWidget

| | |
|---|---|
| fWidgetId | fCommand |
| fWidgetFlags | fgIsA |
| fMsgWindow | |

| | |
|---|---|
| @~TGWidget | Associate |
| SetFlags | SetCommand |
| ClearFlags | GetCommand |
| TGWidget | Class |
| TGWidget | Class_Name |
| WidgetId | IsA |
| IsEnabled | ShowMembers |
| HasFocus | Streamer |
| WantFocus | |

## TQObject

| | |
|---|---|
| fListOfSignals | fgIsA |
| fListOfConnections | |

| | | |
|---|---|---|
| @~TQObject | Emit | Disconnected |
| GetSender | Emit | Destroyed |
| GetSenderClassName | Emit | ChangedBy |
| ConnectToClass | Emit | Message |
| ConnectToClass | Emit | Connect |