TObject

fUniqueID | kIsReferenced | kZombie
fBits | kHasUUID | kBitMask
fgDtorOnly | kCannotPick | kSingleKey
fgObjectStat | kNoContextMenu | kOverwrite
kCanDelete | kInvalidObject | kWriteDelete
kMustCleanup | kIsOnHeap | fgIsA
kObjInCanvas | kNotDeleted

@~TObject | GetOption | operator new
MakeZombie | GetObjectInfo | operator new@[@]
DoError | GetTitle | operator delete
TObject | HandleTimer | operator delete@[@]
TObject | Hash | operator delete
operator= | InheritsFrom | operator delete@[@]
AppendPad | InheritsFrom | SetBit
Browse | Inspect | SetBit
ClassName | IsFolder | ResetBit
Clear | IsEqual | TestBit
Clone | IsSortable | TestBits
Compare | IsOnHeap | InvertBit
Copy | IsZombie | Info
Delete | Notify | Warning
DistancetoPrimitive | Paint | Error
Draw | Pop | SysError
DrawClass | Print | Fatal
DrawClone | Read | AbstractMethod
Dump | RecursiveRemove | MayNotUse
Execute | SavePrimitive | SetDtorOnly
Execute | SetDrawOption | GetDtorOnly
ExecuteEvent | SetUniqueID | GetObjectStat
FindObject | UseCurrentStyle | SetObjectStat
FindObject | Write | Class
GetDrawOption | Write | Class_Name
GetUniqueID | operator new | IsA
GetName | operator new@[@] | ShowMembers
GetIconName

TNamed

fName
fTitle
fgIsA

@~TNamed
TNamed
TNamed
TNamed
TNamed
TNamed
operator=
Clear
Clone
Compare
Copy
FillBuffer
GetName
GetTitle
Hash
IsSortable
SetName
SetNameTitle
SetTitle
Ls
Print
Sizeof
Class
Class_Name
IsA
ShowMembers

TGraph

fMaxSize | fFunctions | kClipFrame
fNpoints | fHistogram | kNotEditable
fX | fMinimum | fgIsA
fY | fMaximum

@~TGraph | Expand | InitPolynom
SwapValues | FindObject | InsertPoint
SwapPoints | FindObject | IsEditable
Allocate | Fit | LeastSquareFit
AllocateArrays | Fit | LeastSquareLinearF
CopyPoints | FitPanel | Merge
CopyAndRelease | GetEditable | Paint
CtorAllocate | GetFunction | PaintFit
ExpandAndCopy | GetHistogram | PaintGraph
FillZero | GetListOfFunctions | PaintGrapHist
ShrinkAndCopy | GetCorrelationFactor | Print
TGraph | GetCovariance | RemovePoint
TGraph | GetMean | RemovePoint
TGraph | GetRMS | SavePrimitive
TGraph | GetMaxSize | SetEditable
TGraph | GetN | SetHistogram
TGraph | GetErrorX | SetMaximum
TGraph | GetErrorY | SetMinimum
TGraph | GetErrorXhigh | Set
TGraph | GetErrorXlow | SetPoint
TGraph | GetErrorYhigh | SetTitle
TGraph | GetErrorYlow | Smooth
Apply | GetX | Sort
Browse | GetY | UseCurrentStyle
ComputeLogs | GetEX | Zero
ComputeRange | GetEY | CompareX
DistancetoPrimitive | GetEXhigh | CompareY
Draw | GetEXlow | CompareRadius
DrawGraph | GetEYhigh | Class
DrawGraph | GetEYlow | Class_Name
DrawGraph | GetXaxis | IsA
DrawPanel | GetYaxis | ShowMembers
Eval | GetPoint | Streamer
ExecuteEvent | InitExpo
Expand | InitGaus

TGraphBentErrors

fEXlow | fEXhighd
fEXhigh | fEYlowd
fEYlow | fEYhighd
fEYhigh | fgIsA
fEXlowd

@~TGraphBentErrors | GetErrorYlow
SwapPoints | GetErrorYhigh
Allocate | GetEXlow
CopyAndRelease | GetEXhigh
CopyPoints | GetEYlow
CtorAllocate | GetEYhigh
FillZero | Paint
TGraphBentErrors | Print
TGraphBentErrors | SavePrimitive
TGraphBentErrors | SetPointError
TGraphBentErrors | SetPointError
TGraphBentErrors | Class
Apply | Class_Name
ComputeRange | IsA
GetErrorX | ShowMembers
GetErrorY | Streamer
GetErrorXlow
GetErrorXhigh

TAttLine

fLineColor | fLineWidth
fLineStyle | fgIsA

@~TAttLine | Modify | Class_Name
TAttLine | ResetAttLine | IsA
TAttLine | SaveLineAttributes | ShowMembers
Copy | SetLineAttributes | Streamer
DistancetoLine | SetLineColor | StreamerNVirtual
GetLineColor | SetLineStyle
GetLineStyle | SetLineWidth
GetLineWidth | Class

TAttFill

fFillColor | fgIsA
fFillStyle

@~TAttFill | Modify | Class_Name
TAttFill | ResetAttFill | IsA